

Todd County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope %	slope length ft.
7A	Hubbard loamy sand, 0 to 2 percent slopes	1	101
7B	Hubbard loamy sand, 2 to 6 percent slopes	4	101
36	Flom loam	1	150
38B	Waukon loam, 2 to 6 percent slopes	4	101
38C	Waukon loam, 6 to 12 percent slopes	9	101
53B	Kandota sandy loam, 2 to 6 percent slopes	4	124
53C	Kandota sandy loam, 6 to 12 percent slopes	9	124
53D	Kandota sandy loam, 12 to 25 percent slopes	18	124
75	Bluffton loam	1	124
82B	Redeye loamy sand, 2 to 6 percent slopes	4	250
82C	Redeye loamy sand, 6 to 12 percent slopes	9	250
111	Hangaard sandy loam	1	150
121	Wykeham fine sandy loam	1	101
127A	Sverdrup sandy loam, 0 to 2 percent slopes	1	101
127B	Sverdrup sandy loam, 2 to 6 percent slopes	4	101
139B	Huntersville loamy sand, 1 to 4 percent slopes	2	101
142	Nokay sandy loam	1	150
144B	Flak sandy loam, 2 to 6 percent slopes	4	250
144C	Flak sandy loam, 6 to 12 percent slopes	9	250
158B	Zimmerman loamy fine sand, 1 to 6 percent slopes	3	101
158C	Zimmerman loamy fine sand, 6 to 15 percent slopes	10	101
163B	Brainerd sandy loam, 1 to 4 percent slopes	3	250
169B	Braham loamy sand, 1 to 6 percent slopes	3	250
170	Blomford loamy sand	1	150
180	Gonvick loam	2	150
183	Dassel mucky sandy loam	1	150
200B	Holdingford sandy loam, 2 to 6 percent slopes	4	150
200C	Holdingford sandy loam, 6 to 12 percent slopes	9	150
202	Meehan loamy sand	1	150
204B	Cushing sandy loam, 2 to 8 percent slopes	5	101
204C	Cushing sandy loam, 8 to 15 percent slopes	12	101
204E	Cushing sandy loam, 15 to 45 percent slopes	30	101

Todd County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope %	slope length ft.
207B	Nymore loamy sand, 1 to 6 percent slopes	3	101
207C	Nymore loamy sand, 6 to 12 percent slopes	9	101
260	Duelm loamy sand	1	150
261	Isan loamy sand	1	101
292	Alstad sandy loam	1	150
325	Prebish fine sandy loam	1	150
341A	Arvilla sandy loam, 0 to 2 percent slopes	1	101
341B	Arvilla sandy loam, 2 to 6 percent slopes	4	101
341C	Arvilla sandy loam, 6 to 12 percent slopes	9	101
374B	Rockwood soils, 2 to 6 percent slopes	4	78
374C	Rockwood soils, 6 to 12 percent slopes	9	78
374D	Rockwood soils, 12 to 20 percent slopes	16	59
375	Forada sandy loam	1	150
402C	Sioux loamy sand, 2 to 12 percent slopes	7	101
402E	Sioux loamy sand, 12 to 25 percent slopes	18	101
406B	Dorset sandy loam, 2 to 6 percent slopes	4	101
406C	Dorset sandy loam, 6 to 12 percent slopes	9	101
413	Osakis sandy loam	1	101
421B	Ves loam, 2 to 6 percent slopes	4	101
421C	Ves loam, 6 to 12 percent slopes	9	101
446	Normania loam	2	150
453B	DeMontreville loamy sand, 2 to 8 percent slopes	5	150
453C	DeMontreville loamy sand, 8 to 15 percent slopes	12	101
454B	Mahtomedi loamy sand, 1 to 8 percent slopes	4	150
454C	Mahtomedi loamy coarse sand, 8 to 15 percent slopes	12	124
454E	Mahtomedi loamy coarse sand, 15 to 45 percent slopes	30	124
458B	Menahga loamy sand, 2 to 6 percent slopes	4	101
458C	Menahga loamy sand, 6 to 12 percent slopes	9	101
458E	Menahga loamy sand, 12 to 25 percent slopes	18	101
514	Tacoosh mucky peat	1	150
540	Seelyeville muck	1	150
541	Rifle muck	1	150

Todd County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope %	slope length ft.
543	Markey muck	1	150
544	Cathro muck	1	150
545	Rondeau muck	1	150
565	Eckvoll loamy sand	2	150
571	Coriff sandy loam	1	150
572	Lowlein sandy loam	1	101
582	Roliss loam	1	101
701	Runeberg sandy loam, depressional	1	101
703	Paddock-Becida, stony, complex, 0 to 3 percent slopes	1	124
720B	Blowers soils, 1 to 5 percent slopes	3	202
800B	Kandota-Dorset sandy loams, 2 to 6 percent slopes	4	150
800C	Kandota-Dorset sandy loams, 6 to 15 percent slopes	11	101
800E	Kandota-Dorset sandy loams, 15 to 40 percent slopes	22	101
808	Wykeham-Runeberg sandy loams	1	101
823	Hangaard-Sioux complex	1	150
824C	Dorset-Sioux sandy loams, 6 to 15 percent slopes	11	101
824E	Dorset-Sioux complex, 15 to 30 percent slopes	22	101
825	Gonvick-Flom loams	2	150
873	Prebish-Nokay sandy loams	2	101
928B	Cushing-DeMontreville-Mahtomedi complex, 2 to 8 percent slopes	5	101
928C	Cushing-DeMontreville-Mahtomedi complex, 8 to 15 percent slopes	12	101
928E	Cushing-DeMontreville-Mahtomedi complex, 15 to 45 percent slopes	30	101
967C	Waukon-Langhei loams, 4 to 12 percent slopes	8	101
967D	Waukon-Langhei loams, 12 to 25 percent slopes	18	101
1015	Psammets, nearly level to sloping		
1029	Pits, gravel		
1054	Prebish and Histosols, ponded	1	101
1055	Aquolls and Histosols, ponded	1	150
1356	Water, miscellaneous		
1926	Bowstring-Aquents complex	1	150
1927	Clotho sandy loam	1	150
1932	Runeberg sandy loam	1	101

Todd County, Minnesota**musym muname**

musym	muname	RUSLE2 slope factors	
		slope %	slope length ft.
1943	Roscommon loamy sand	1	101
1956	Staples loamy sand	1	101
W	Water		